BlueCross BlueShield of Alabama

Preventive Service Benefits

The following preventive services and immunizations do not apply to all health plans administered or insured by Blue Cross and Blue Shield of Alabama. Some or all of the contraceptive methods or prescription drugs listed may not be covered under the plan because of the employer's religious beliefs. To find out if contraceptive methods and prescription drugs are excluded, please contact Customer Service for additional information.

If the preventive services section of your plan's benefit booklet refers you to **AlabamaBlue.com**, the preventive services and immunizations listed below will be covered by your plan. However, your group may decide to delay the effective date for coverage until your group's plan year for any new preventive services and immunizations recently added to this list. If your plan covers these services, please be aware that in some cases, routine preventive services and routine immunizations may be billed separately from your office or other facility visit. In that case, the applicable office visit or outpatient facility copayments described in the physician benefits and outpatient hospital benefits sections of your benefit booklet may apply. In any case, applicable office visit or facility copayments may still apply when the primary purpose for your visit is not routine preventive services and/or routine immunizations. **Please ask the provider to contact your Health Plan to verify the procedure and diagnosis codes that are covered under these preventive services.** If you have any questions about your plan's benefits, you may also call our Customer Service Department at the number on the back of your ID card.

Contact your group benefit administrator for information regarding the effective date of new preventive services and immunization recently added to the list below

Preventive Services For Adults	Frequency/Limitations
Abdominal Aortic Aneurysm Screening	Age 65-75 one screening per lifetime (men only with any history of smoking)
Alcohol Misuse Screening and Behavioral Counseling Interventions	One per calendar year
Ambulatory Blood Pressure Monitoring	Once per lifetime to confirm the diagnosis of hypertension
Aspirin Use Counseling for CVD Prevention (for dates of services prior to April 1, 2023)	Men age 50-59; Women age 13-59 every 5 years (effective April 1, 2023, this service is no longer considered under preventive)
Behavior Counseling to Prevent Skin Cancer	Age 6 months-24 years (included in E&M and/or preventive office visit
Blood Pressure Screening	Age 18 and older, one per calendar year (included as part of an office visit)
Cholesterol Screening	Men age 35 and older (20-35 at risk for CAD), Women age 45 and older (20-45 at risk for CAD) every 5 years
Colorectal Cancer Screening	Age 45-75
Fecal occult blood testing	One per calendar year
CT Colonography (Visual Colonoscopy)	Every 5 years
Sigmoidoscopy	Every 3 years
Colonoscopy (including bowel prep medications)	Every 10 years
Barium Enema	Every 5 years
Pre-Screening Consultation	Every 10 years
 FIT-DNA (Cologuard[™]) 	Every 3 years
Depression, Anxiety, and Suicide Risk Screening	Age 11 and older, three per calendar year (effective 11/2023, Age 8 and older)
Diabetes Screening	Age 19 and older, every 3 years
Diet Counseling (Adults with high risk for chronic disease)	Age 19 and older, three hours each calendar year
Fall Prevention Screening	Age 65 and older. Exercise, physical therapy and vitamin D supplementation
Hepatitis B Screening	Age 11 and older, one per calendar year
Hepatitis C Screening	Once per lifetime; Once per year for individuals at high risk for infection
HIV Screening (At Risk and All Pregnant Women)	Age 10 and older
HIV Infection Prevention: Pre-exposure Prophylaxis (PrEP) (Antiretroviral medication to be considered under the pharmacy plan when ordered by a physician)	Effective 9/17/21, the following services for baseline/ follow-up testing and monitoring are included per the CDC PrEP guidelines (ages 10 and older):• Kidney function testing (creatinine) • Hepatitis B and C testing • HIV Testing• HIV Testing • STI screening and counseling
Lung Cancer Screening	Age 50-80, one per calendar year
Obesity Screening and Counseling	Age 6 and older, one per calendar year
Prostate Screening	Men age 40 and older, one per calendar year

Preventive Services For Adults	Frequency/Limitations
Psychosocial/Behavioral Assessment	Age Newborn-21 years, 31 services during age range
Preventive Office Visit	One per calendar year
Sexually Transmitted Infection Prevention Counseling	Age 10 and older, one per calendar year
Tobacco Use Counseling	Age 6 and older, 8 per calendar year
Tuberculosis Infection Screening	Age 19 and older (adults at risk), one per calendar year
Preventive Services for Women (Including Pregnant Women)	Frequency/Limitations
Bacteriuria (Pregnant Women)	With pregnancy
BRCA Counseling about genetic testing for women at higher risk	Once in a lifetime
Breast Cancer Chemoprevention Counseling	Once in a lifetime
Breast Cancer Mammography Screening	Age 35-39 one baseline, age 40 and older one per calendar year
Breastfeeding Support	
Behavioral Interventions	Twice per calendar year
Counseling and Support	Age 10 and older, five per year in conjunction with a birth
Supplies - Pumps and Accessories	Age 10 and older; one electric breast pump allowed per pregnancy
Cervical Cancer Screening (Pap Smear)	One per calendar year
Chlamydia Screening	Age 15 and older, one per calendar year
Contraceptive Methods and Counseling	Age 15 and older, one per calendar year
Counseling	Age 10 and older, one annually
Sterilization	Age 10 and older, one procedure per lifetime
Confirmatory Test	Two per lifetime
Contraceptive - Mobile Application (Effective 4/1/24)	Age 10 and older, one 12-month subscription per calendar year. *Coverage includes member reimbursement for the cost of FDA-approved, cleared, or granted mobile device applications for use as contraception consistent with the FDA- approved, cleared, or granted indication
Contraceptive - Medical	Age 10 and older
Gonorrhea Screening	Age 11 and older, twice per calendar year
Healthy Weight Gain in Pregnancy Counseling	Age 10 and older, three hours per calendar year
Hepatitis B Screening	One per calendar year for pregnant women
HIV Screening (At Risk and All Pregnant Women)	Age 10 and older
HIV Counseling	Age 10 and older, one per calendar year
Human Papillomavirus (HPV) Screening	Age 30 and older, every 3 years
Iron Deficiency Anemia Screening	One per calendar year for pregnant women
Osteoporosis Screening	Age 65 and older, 65 and younger if at risk once every 2 years
Preconception Visit	Age 10 and older, one visit per calendar year
Prenatal Care	Age 10 and older, up to six visits per calendar year depending on diagnosis
Preeclampsia Screening	Age 10 and older (included in prenatal office visit)
Perinatal Depression Preventive Interventions	Age 10 and older, three hours per calendar year
Prenatal Conference (Pediatrician only)	With pregnancy
Preventing Obesity in Midlife Women Counseling	Age 40-60 year, one hour per year
Rh Incompatibility Screening (All Pregnant Women)	Twice per calendar year
Screening and Counseling for Interpersonal and Domestic Violence	Age 10 and older, one per calendar year
Screening for Diabetes during Pregnancy	Age 10 and older, two per calendar year
Screening for Diabetes after Pregnancy	Age 10 and older, two per calendar year
Sexually Transmitted Infection (STI) Prevention Counseling	Age 10 and older, one per calendar year
Syphilis Screening (At Risk and All Pregnant Women)	No frequency limit
Tobacco Use Counseling (Pregnant Women)	Age 10 and older, 8 per calendar year
Well Women Visit	Age 10 and older, up to two visits per calendar year depending on diagnosis

Preventive Services for Children	Frequency/Limitations	
Alcohol and Drug Use Assessments (Adolescents)	Age 11-21, one per calendar year	
Behavior Counseling to Prevent Skin Cancer	Age 6 months-24 years (including in E&M and/or preventive office visit)	
Cervical Cancer Screening (Pap Smear)	One per calendar year	
Congenital Hypothyroidism (Newborns)	Age 2-4 days	
Depression, Anxiety, and Suicide Risk Screening	Age 11 and older, three per calendar year (effective 11/2023, Age 8 and older)	
Dental Caries Prevention (<age 5)<="" td=""><td>Age birth - 5 years, 4 per calendar year</td></age>	Age birth - 5 years, 4 per calendar year	
Dental Caries Prevention (Preschool Children)	Included in preventive office visit	
Developmental Screening (<age 3)<="" td=""><td>Age 9-30 months, 5 screenings</td></age>	Age 9-30 months, 5 screenings	
Developmental Surveillance	Included as part of an office visit	
Dyslipidemia	Age 2-10, one every 2 years; Age 11-17, one per calendar year; Age 18-21, once during age range	
Gonorrhea Prevention (Eye Meds for Newborns)	At delivery; included in standard inpatient newborn care	
Hearing Screening (Newborns)	Age birth - 31 days, once in age range	
Hearing Screening	Age 2 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range	
Hematocrit or Hemoglobin Screening	Age 4 months - 10 years, 3 services during age range; Age 11-21, one per calendar year	
Hemoglobinopathies (sickle cell screening for newborns)	Age birth - 31 days	
Hepatitis B Screening	Age 11 and older, one per calendar year	
HIV Screening (Adolescents at High Risk)	Age 10 and older	
Lead Screening	Age 6 months - 6 years, 3 services during age range	
Maternal Depression Screening	Age birth - 6 months, 4 services during age range	
Metabolic Hemoglobin Screening (Newborns)	Age birth - 2 months, once in age range	
Obesity Screening and Counseling	Age 6 and older, one per calendar year	
Oral Health Risk Assessment	Age 6 months - 6 years, 3 services during age range	
Routine Newborn Care (In Hospital)	Included in standard inpatient newborn care	
Phenylketonuria (PKU for Newborns)	Age 2-14 days, 2 services during age range	
Psychosocial/Behavioral Assessment	Age Newborn - 21 years, 31 services during age range	
Preventive Office Visit	9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year	
Sexually Transmitted Infections Counseling	Age 10 and older, one per calendar year	
Sexually Transmitted Infections Screening	Age 11-21, No frequency limit	
Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)	Age 11-21 years, included in preventive office visits	
Tuberculin Testing	Age 1 month - 21 years, 6 services during age range	
Vision Screening (Visual Acuity)	Birth - 10 years, 8 services in age range. Age 11-21, 4 services in age range	
Immunizations		
(Coverage is based on CDC's Advisory Committee in Immunization dosage. Refer to the CDC website to view the schedules: cdc.gov	n Practices (ACIP) recommendations regarding age, frequency, and /vaccines/schedules/index.html)	
COVID-19 vaccine		
Diphtheria Toxoid		
Diphtheria, Tetanus (DT)		
Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine, Hemophilus Influenza Type B, and Poliovirus Vaccine, Inactivated (DTaP-Hib-IPV)		
Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine, Hepatitis B, and Poliovirus Vaccine, Inactivated (DTaP-HepB-IPV)		
Diphtheria, Tetanus, Acellular Pertussis (DTap)		
Diphtheria, Tetanus, Acellular Pertussis and Hemophilus Influenza B Vaccine (DTaP-Hib)		
Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine and Poliovirus Vaccine, Inactivated (Dtap-IPV)		

Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine and Poliovirus Vaccine, Inactivated (Dtap-IPV)

Hemophilus Influenza B Vaccine (HIB)

Hepatitis A

Hepatitis A and B

Immunizations	
Hepatitis B and Hemophilus Influenza B Vaccine - Active Immunization (HepB - Hi	b)
Hepatitis B Vaccine - Active Immunizations (HepB)	
Human Papilloma Virus (HPV)	
Influenza Virus Vaccine	
Measles Virus Vaccine - Live	
Measles, Mumps and Rubella Vaccine (MMR)	
Measles, Mumps, Rubella, and Varicella Vaccine (MMRV)	
Meningococcal Conjugate Vaccine	
MenABCWY (pentavalent meningococcal) vaccine	
Meningococcal Serogroup B Vaccine	
Mpox Vaccine (formerly known as monkeypox)	
Mumps Virus Vaccine - Live	
Pneumococcal Conjugate (PCV) /Pneumococcal Polysaccharide Vaccine	
Poliomyelitis Vaccine (IPV)	
Respiratory Syncytial Virus (RSV) vaccine	
Rotavirus Vaccine	
Rubella Virus Vaccine	
Tetanus Toxoid	
Tetanus, Diphtheria, Acellular Pertussis (Tdap)	
Varicella (Chicken Pox) Vaccine	
Zoster (Shingles) Vaccine	
Pharmacy Benefits (To be considered under the pharmacy plan when ordered by	a physician and requires prescription to be filled by the pharmacy)
Aspirin (for dates of services prior to April 1, 2023)	Men age 50-59; Women age 13-59 every 5 years (effective April 1, 2023, this service is no longer considered under preventive)
Aspirin Use to Prevent Preeclampsia and Related Morbidity and Mortality	Women age 10 and older
Contraceptives	Women only; generic only
Fluoride	Ages 6-16 years
Folic Acid	Women only
Breast Cancer Preventive Drugs	Women age 35 and older
Tobacco Cessation Products	Two 90-day regimens of an FDA-approved tobacco cessation medications, (including both prescription and over-the-counter medications) for a 90-day treatment regimen when prescribed by a health care provider without prior authorization
Iron Supplements	Ages 6-12 months
Statin Medications	Ages 40-75 years with one or more cardiovascular risk factors and calculated 10-year risk of a cardiovascular event of 10% or greater.
Prevention of HIV Infection: Pre-exposure Prophylaxis (PrEP) (<i>Antiretroviral medication to be considered under the pharmacy plan when ordered by a physician.</i>)	Effective 9/17/21, the following services for baseline/ follow-up testing and monitoring are included per the CDC PrEP guidelines (ages 10 and older):• Kidney function testing (creatinine)• Pregnancy testing (when appropriate)• Hepatitis B and C testing• Adherence counseling• HIV Testing• Associated office visits• STI screening and counseling

Please note the services listed are as of April 2024, and are subject to change at any time. Please visit **AlabamaBlue.com/PreventiveServices** to view the latest list of our standard preventive services.

